

Air Tire Buffer

0.5HP (2,600 rpm)

ITEM NO.	Spindle Thread
502653	3/8"



Air Angle Die Grinders

0.5HP (115°) (18,000 rpm)

ITEM NO.	Collect Size
118156	6mm
118152	1/4"



Mini Air Die Grinders

0.3HP (25,000 rpm)

ITEM NO.	Spindle Thread
125036	6mm
125032	1/4"



2" Air Angle Grinder

0.5HP (15,000 rpm)

ITEM NO.	Grinding Wheel
11505A	2"



Mini Air Angle Die Grinders

0.3HP (90°) (20,000 rpm)

ITEM NO.	Collect Size
120036	6mm
120032	1/4"



3" Air Cutter

0.5HP (21,000 rpm)

ITEM NO.	Grinding Wheel
12105C	3"



Air Die Grinders

0.5HP (22,000 rpm)

ITEM NO.	Collect Size
122056	6mm
122052	1/4"



Air Eraser

0.5HP (2,600 rpm)

ITEM NO.	Spindle Thread
10265E	5/16"



5" Extension Air Die Grinders

0.5HP (22,000 rpm)

ITEM NO.	Collect Size
122556	6mm
122552	1/4"



Air Angle Drill

0.5HP (90°) (1,800 rpm)

ITEM NO.	Chuck Size
101853	3/8"



Low Speed Air Die Grinders

0.5HP (3,600 rpm)

ITEM NO.	Collect Size
103656	6mm
103652	1/4"



Air Drill (Quick Release)

0.5HP (2,600 rpm)

ITEM NO.	Chuck Size
102653	3/8"



Air Angle Die Grinders

0.5HP (90°) (18,000 rpm)

ITEM NO.	Collect Size
118956	6mm
118952	1/4"



Air Drill

0.5HP (2,600 rpm)

ITEM NO.	Chuck Size
102638	3/8"





(Non Vacuum Type)



(Central Vacuum Type)



(Self-Generated Vacuum Type)

Air Sanders

ITEM NO.	Pad Dia. inch	Random Orbital	Vacuum Type	Weight g	PCS 	G.W. Kgs	CUFT
13303N			Non	560	10	9.0	1.7
13303C	3"	2.5mm	Central	600	10	9.5	1.7
13303S			Self-Generated	830	6	8.0	2.0
15303N			Non	740	10	11.0	1.7
15303C	5"	2.5mm	Central	800	10	11.5	1.7
15303S			Self-Generated	1020	6	9.5	2.0
16303N			Non	760	10	11.5	1.7
16303C	6"	2.5mm	Central	820	10	12.0	1.7
16303S			Self-Generated	1040	6	9.5	2.0
15103N			Non	770	10	11.5	1.7
15103C	5"	5mm	Central	830	10	12.0	1.7
15103S			Self-Generated	1050	6	9.5	2.0
16103N			Non	790	10	11.5	1.7
16103C	6"	5mm	Central	850	10	12.0	1.7
16103S			Self-Generated	1070	6	9.5	2.0



(Non Vacuum Type)



(Central Vacuum Type)



(Self-Generated Vacuum Type)

Air Sanders (Gear-Driven)

ITEM NO.	Pad Dia. inch	Random Orbital	Vacuum Type	Weight g	PCS 	G.W. Kgs	CUFT
15HGN5			Non	1500	6	12.0	2.0
15HGC5	5"	5mm	Central	1500	6	12.0	2.0
15HGS5			Self-Generated	1750	6	13.5	2.0
16HGN6			Non	1600	6	12.5	2.0
16HGC6	6"	5mm	Central	1600	6	12.5	2.0
16HGS6			Self-Generated	1850	6	14.0	2.0
18HGN8			Non	1700	6	14.0	2.3
18HGC8	8"	5mm	Central	1700	6	14.0	2.3
18HGS8			Self-Generated	1950	6	15.5	2.3

Air Polisher Sanders

ITEM NO.	Pad Dia. inch	Random Orbital	Weight g	PCS 	G.W. Kgs	CUFT
131013	3"	5mm	770	10	12.0	1.7
151015	5"	5mm	820	10	13.0	1.7
152HPS	5"	10mm	1300	6	10.5	2.0



(131013 & 151015)



(152HPS)

Rust & Paint Removal Tools

ITEM NO.	Vacuum Type	Weight g	PCS 	G.W. Kgs	CUFT
14280A	Non	1200	10	15.0	1.74
14280C	Central	1360	4	9.0	2.10
14280S	Self-Generated	1600	4	10.0	2.10



(Non Vacuum Type)



(Central Vacuum Type)



(Self-Generated Vacuum Type)

RP-280N 10 Piece Rust & Paint Removal Tool Set (Non-Vacuum Type)

Contents:

- 1 14280A, Rust & Paint Removal Tool
- 1 Rubber Eraser Wheel
- 1 Stripping Wheel
- 3 Wire Wheel
- 1 Eraser Adapter
- 1 Nipple
- 1 Hex Key
- 1 Screw

3200 g

4 sets / 14.5 Kgs / 3.00 CUFT



RP-280C 10 Piece Rust & Paint Removal Tool Set (Central-Vacuum Type)

Contents:

- 1 14280C, Rust & Paint Removal Tool
- 1 Rubber Eraser Wheel
- 1 Stripping Wheel
- 3 Wire Wheel
- 1 Eraser Adapter
- 1 Nipple
- 1 Hex Key
- 1 Screw

3350 g

4 sets / 15.0 Kgs / 3.00 CUFT



501300 Super Duty Air Riveter

Traction Power: 1,300 lbs. / 5,782 n

Stroke: 19mm (3/4")

4 Nosepiece: 3/32"(2.4mm), 1/8"(3.2mm),
5/32"(4.0mm), 3/16"(4.8mm)

1270 g

10 pcs / 15.5 Kgs / 1.50 CUFT



501600 Super Duty Air Riveter

Traction Power: 1,600 lbs. / 7,116 n

Stroke: 19mm (3/4")

4 Nosepiece: 3/32"(2.4mm), 1/8"(3.2mm),
5/32"(4.0mm), 3/16"(4.8mm)

1530 g

10 pcs / 18.5 Kgs / 1.84 CUFT



501940 Super Duty Air Riveter

Traction Power: 1,940 lbs. / 8,629 n

Stroke: 14mm (9/16")

4 Nosepiece: 3/32"(2.4mm), 1/8"(3.2mm),
5/32"(4.0mm) & 3/16"(4.8mm)

1600 g

10 pcs / 18.5 Kgs / 1.60 CUFT



501990 Heavy Duty Air Riveter

Traction Power: 1,983 lbs. / 8,820 n

Stroke: 16mm (5/8")

3 Nosepiece: 1/8"(3.2mm), 5/32"(4.0mm),
3/16"(4.8mm)

1700 g

10 pcs / 22.0 Kgs / 2.50 CUFT



503100 Ultra Duty Air Riveter

Traction Power: 3,099 lbs. / 13,784 n

Stroke: 19mm (3/4")

6 Nosepiece: 3/32"(2.4mm), 1/8"(3.2mm),
5/32"(4.0mm), 3/16"(4.8mm),
7/32"(5.6mm), 1/4"(6.4mm),

2250 g

10 pcs / 28.5 Kgs / 3.30 CUFT



505506 5" Air Angle Grinder

Spindle Thread Size: M14 x 2.0P

Free Speed: 12,000 rpm

Rated Power: 1.0 HP

1800 g

12 pcs / 26.0 Kgs / 1.80 CUFT



505105 5" Heavy Duty Air Angle Grinder

Spindle Thread Size: M14 x 2.0P

Free Speed: 11,000 rpm

Rated Power: 1.4 HP

2100 g

12 pcs / 26.0 Kgs / 2.37 CUFT



560210 Air Micro Die Grinder

Collect Size: 3mm

Free Speed: 60,000 rpm

300 g

20 pcs / 8.5 Kgs / 1.20 CUFT




Air Blow Guns

ITEM NO.	Nozzle Type	Length mm	Weight g	PCS	G.W. Kgs	CUFT
AJ-106S	Short	95	150	48	9.5	1.2
AJ-106L	Long	190	160	48	10.0	1.2
AJ-1062	S & L	95 & 190	170	48	10.5	1.2



(AJ-106S)



(AJ-106L)



(AJ-1062)

DS-424 1/2" Dr. Sockets Display Stand

Suitable for Shallow and Deep Sockets

Included: 8~32mm & 5/16~1-1/4"

Dimension: W425 x D340 x H315mm

5900 g 1 set / 6.3 Kgs / 0.54 CUFT



Spray Guns

(Gravity - HVLP Type)

ITEM NO.	Nozzle Size
10HV13	Ø1.3mm
10HV14	Ø1.4mm
10HV16	Ø1.6mm
10HV18	Ø1.8mm
10HV20	Ø2.0mm



- HVLP Type supplies high transfer efficiency: reduce overspray and save painting cost.

Spray Guns

(Gravity - MP Type)

ITEM NO.	Nozzle Size
10MP13	Ø1.3mm
10MP14	Ø1.4mm
10MP16	Ø1.6mm
10MP18	Ø1.8mm
10MP20	Ø2.0mm



- MP Type combines the advantages of HVLP and conventional spray gun: lower inlet pressure but high working rate.

Spray Guns

(Gravity - BP Type)

ITEM NO.	Nozzle Size
10BP25	Ø2.5mm



- BP Type is suitable for polyester, filler or other high viscosity material and can spray from small spots repairing to large surfaces.

Mini Spray Guns

(Gravity - HVLP Type)

ITEM NO.	Nozzle Size
15HV05	Ø0.5mm
15HV08	Ø0.8mm
15HV10	Ø1.0mm



- Used for spot repairing to medium painting job.

Mini Spray Guns

(Gravity Type)

ITEM NO.	Nozzle Size
155A05	Ø0.5mm
155A08	Ø0.8mm
155A10	Ø1.0mm



- Pattern adjustable.

Mini Spray Guns

(Gravity Type)

ITEM NO.	Nozzle Size
155B05	Ø0.5mm



- Fixed round pattern.

Spray Guns

(Gravity Type)

ITEM NO.	Nozzle Size
14GT12	Ø1.2mm
14GT14	Ø1.4mm
14GT16	Ø1.6mm
14GT18	Ø1.8mm



- High transfer efficiency.

Spray Guns

(Suction Type)

ITEM NO.	Nozzle Size
12ST10	Ø1.0mm
12ST15	Ø1.5mm
12ST16	Ø1.6mm
12ST18	Ø1.8mm
12ST20	Ø2.0mm
12ST25	Ø2.5mm
12ST30	Ø3.0mm



- Medium to large painting job.



DS-038B Display Stand Set

Dimension: W945 x D500 x H2200mm

Accessory:

Display Light Set 110V or 220V

011102 50pcs Single Hook 2"

011104 20pcs Single Hook 4"

011106 10pcs Single Hook 6"

⚖️ 52.4 Kg

📦 1 set / 56 Kgs / 8.1 CUFT



DS-111 Display Stand Set

Dimension: W945 x D400 x H2245mm

Accessory:

Display Light Set 110V or 220V

011102 50pcs Single Hook 2"

011104 20pcs Single Hook 4"

011106 10pcs Single Hook 6"

⚖️ 45 Kg

📦 1 set / 50 Kgs / 4.99 CUFT

4K0950 1/2" Dr. Ultra Duty Air Impact Wrench

Max Torque: 700 ft.lb. / 950 Nm

Overall Length: 7.6 inch / 193 mm

⚖️ 2100 g

📦 8 pcs / 19.5 Kgs / 1.30 CUFT



4K0952 1/2" Dr. Ultra Duty Long Anvil Air Impact Wrench

Max Torque: 700 ft.lb. / 950 Nm

Overall Length: 9.6 inch / 243 mm

⚖️ 2200 g

📦 8 pcs / 21.0 Kgs / 1.80 CUFT



601400 3/4" Dr. Super Duty Air Impact Wrench

Max Torque: 1,400 ft.lb. / 1,898 Nm

Overall Length: 8.5 inch / 215 mm

⚖️ 5000 g

📦 4 pcs / 22.0 Kgs / 0.85 CUFT



601406 3/4" Dr. Super Duty Long Anvil Air Impact Wrench

Max Torque: 1,400 ft.lb. / 1,898 Nm

Overall Length: 14 inch / 356 mm

⚖️ 6000 g

📦 4 pcs / 26.5 Kgs / 1.30 CUFT



801512 1" Dr. Super Duty Air Impact Wrench

Max Torque: 1,500 ft.lb. / 2,033 Nm

Overall Length: 8.8 inch / 222 mm

5100 g

4 pcs / 22.5 Kgs / 0.85 CUFT



801518 1" Dr. Super Duty Long Anvil Air Impact Wrench

Max Torque: 1,500 ft.lb. / 2,033 Nm

Overall Length: 14.7 inch / 375 mm

6100 g

4 pcs / 27.0 Kgs / 1.30 CUFT



8K1630 1" Dr. Ultra Duty Air Impact Wrench

Max Torque: 1,200 ft.lb. / 1,630 Nm

Overall Length: 8.9 inch / 225 mm

6100 g

4 pcs / 26.5 Kgs / 1.24 CUFT



8K1636 1" Dr. Ultra Duty Long Anvil Air Impact Wrench

Max Torque: 1,200 ft.lb. / 1,630 Nm

Overall Length: 14 inch / 356 mm

6800 g

4 pcs / 30.0 Kgs / 1.50 CUFT



8K3390 1" Dr. Ultra Duty Air Impact Wrench

Max Torque: 2,500 ft.lb. / 3,390 Nm

Overall Length: 17 inch / 432 mm

15.5 Kg

1 pc / 18.0 Kgs / 1.50 CUFT



8K3398 1" Dr. Ultra Duty Long Anvil Air Impact Wrench

Max Torque: 2,500 ft.lb. / 3,390 Nm

Overall Length: 24.8 inch / 630 mm

17.0 Kg

1 pc / 19.5 Kgs / 1.50 CUFT



9K3390 1-1/2" Dr. Ultra Duty Air Impact Wrench

Max Torque: 2,500 ft.lb. / 3,390 Nm

Overall Length: 18 inch / 455 mm

16.3 Kg

1 pc / 18.8 Kgs / 1.50 CUFT



9K3398 1-1/2" Dr. Ultra Duty Long Anvil Air Impact Wrench

Max Torque: 2,500 ft.lb. / 3,390 Nm

Overall Length: 23.8 inch / 605 mm

18.7 Kg

1 pc / 21.2 Kgs / 1.50 CUFT



9K4070 1-1/2" Dr. Ultra Duty Air Impact Wrench

Max Torque: 3,000 ft.lb. / 4,070 Nm

Overall Length: 18.5 inch / 470 mm

17 Kg

1 pc / 19.5 Kgs / 1.50 CUFT



9K4078 1-1/2" Dr. Ultra Duty Long Anvil Air Impact Wrench

Max Torque: 3,000 ft.lb. / 4,070 Nm

Overall Length: 24.4 inch / 620 mm

22.8 Kg

1 pc / 25.3 Kgs / 1.50 CUFT

